PAGE 1 of 5 April 6, 2022

Job #: 31049 New Home Address: 5708 Cautley Crescent SW; 05/38/202-2817

Purchaser(s): Moyosore Oluwaseye Fagbemigun and Tinuola Oluwayemisi Fagbemigun

Phone: (587) 589-9943 (H) (C) Email: link2moyo@yahoo.com
House Model: COLUMBIA Specification: INSPIRE SERIES Subdivision: CRIMSON - RSL

Sales Area Manager: BILJANA SPASOJEVIC

All of our homes meet or exceed the Alberta Building Code and the Alberta Energy Code. Upgrades to Specifications are as noted and may not be available in all floor plans.

FEATURES	Design	Inspire
1. Foundations		
Higher strength and sulphate resistant concrete in areas where soil conditions require same.	✓	✓
Concrete footings to be minimum 18" x 8" or as required by soil conditions.	\checkmark	\checkmark
8' x 6" foundation walls as per plan	✓	✓
Weeping tile around foundation on all four sides, complete with sump barrel and pump.	✓	✓
Basement floors to be minimum 3", 20 MPA concrete on Cupolex system.	✓	✓
Foundation walls to be damp proofed on the exterior.	✓	✓
Garage floors to be Duramix concrete, trowel finish.	✓	✓
Attached garages to have foundation walls.	\checkmark	✓
2. Flooring Systems		
Main and second floor to have engineered floor system with 23/32" T&G OSB sheathing, glued and screwed to floor joists.	✓	√
3. Wall Structure		
Exterior: 2" x 6" construction grade spruce studs at 24" on center and 3/8" wall sheathing as per plan and engineering details.	√	✓
Garage Walls (attached garage only): 2" x 6" construction grade spruce studs at 24" on center and 3/8" wall sheathing as per plan and engineering details.	✓	✓
Basement frost walls: 2" x 4" construction grade spruce studs at 24" on center as per plan and engineering details.	✓	√
Interior: 2"x 4", 2" x 6", and 2"x 8" construction grade spruce studs as per plan and engineering details.	✓	✓
4. Roof Systems		
Engineered roof trusses as per plan at 24" on center with 3/8" OSB roof sheathing complete with H clips.	✓	✓
5. Wood Stairs		
Interior stairs: closed risers with carpet wrapped on stringers.	✓	√
Basement stairs: (undeveloped basement) closed risers.	✓	√
Basement stairs: (developed basement) closed risers with carpet wrapped on stringers.	✓	✓
Garage stairs: open risers, construction grade spruce railing as required.	✓	✓
Exterior wood stairs: closed risers, front stairs only.	\checkmark	\checkmark



PAGE 2 of 5 April 6, 2022

FEATURES	Design	Inspire
6. Exterior Finish		
	1	1
Vinyl siding with pre-finished metal and/or smart board battens, as per plan. Settit/ Engage: pre-finished aluminum eize per plan.	<u></u>	<u></u>
Soffit/ Fascia: pre-finished aluminum, size per plan.		
Eavestrough/Downspout: 5" pre-finished aluminum includes downspout extensions.		•
7. Windows & Exterior Doors		
Exterior doors: fiberglass insulated doors as per plan, includes chrome hinges.	✓	✓
Garage man door to house includes self-closing hinges.	\checkmark	\checkmark
Garage overhead door to be 16'x 7' pre-finished white steel, insulated, raised panel, as per plan. Includes		
chain driven ½ HP overhead garage door opener with two remotes.	\checkmark	\checkmark
Windows (including basement) to be Low E triple pane vinyl sliders, single hung, casement and picture units,		
as per plan. PVC window jamb color to match the window frame.	✓	✓
Window installation includes sill pan treatment and envelope sealant.	\checkmark	\checkmark
Kitchen nook door: 2'8"x 6'8" fiberglass insulated door, as per plan.	✓	
Kitchen nook door: 2'8" x 6'8" French windowed door, no grills, as per plan.		✓
8. Exterior Hardware		
Estavian da que te hassa managa lunch and accomits da ad half	./	./
Exterior doors to have passage knob and security dead bolt.		<u> </u>
Nook outswing door to have a lever handle.		
Exterior door hardware to be Weiser or equivalent.	V	V
O January Com		
9. Insulation		
Exterior house walls: R20 fiberglass insulation.	✓	✓
Garage walls: R20 fiberglass insulation (attached garages only).	√	√
Basement frost walls: R20 fiberglass batt insulation.	√	√
Ceilings: R40 loose fill or batt insulation.	✓	√
Cantilevers and floors over garages: minimum R28 spray foam insulation.	√	√
6mm C.G.S.B. approved poly vapor/air barrier.	√	√
10. Drywall		
Drywall minimum ½" or as required by code. Comes with square corners.	✓	✓
Garage (attached garages only) walls and ceiling to be boarded and fire taped.	✓	✓
Aqua Board behind ceramic tile in tub and shower areas.	✓	✓
Drywall in finished areas to be taped, filled and sanded ready for paint.	✓	✓
Unfinished basement stairwells are drywall only on walls, no taping, unless required by code.	✓	✓
11. Painting		
INTERIOR:		
Interior walls to have 1 coat of interior latex primer, and 2 coats of finish latex eggshell.	\checkmark	\checkmark
1 color interior paint throughout.	√	√
Painted wood surfaces to have 1 coat primer, and 2 coats semi-gloss latex.	✓	✓



PAGE 3 of 5 April 6, 2022

FEATURES	Desig	Inspir
EXTERIOR:	De	<u><u>u</u></u>
Exposed wood surfaces to have 2 coats of exterior paint, excluding deck floor system.	\checkmark	\checkmark
Entry doors to have 2 coats semi-glass white paint, or as per architectural requirements.	✓	\checkmark
Overhead doors to be pre-painted white, or as per architectural requirements.	✓	✓
12. Plumbing		
Water supply system to include individual shut offs on all toilets and sinks	✓	✓
Main bathroom to have a 1 piece, 5' fiberglass tub/shower combination with fiberglass surround. Includes	✓	./
faucet, showerhead and control, as per plan. Ensuite bathroom to have a 1 piece, 5' fiberglass tub/shower combination with fiberglass surround. Includes		
faucet, showerhead and control, as per plan.	✓	
Ensuite bathroom to have a 1 piece, 5' fiberglass tub/shower combination with tile surround. Includes		
faucet, showerhead and control, as per plan.		\checkmark
Ensuite shower stall to be a 1 piece fiberglass surround, clear glass door with chrome rim, single lever		
control and showerhead as per plan.		\checkmark
Ensuite soaker tub includes roman tub filler, as per plan.		✓
Main floor half bath to have a pedestal sink, as per plan.	✓	✓
All bathroom sinks to be drop-in style.	✓	✓
Double stainless steel drop-in kitchen sink with Moen (or equivalent) chrome single lever faucet.	✓	✓
Moen (or equivalent) chrome dual lever faucets in bathrooms.	\checkmark	\checkmark
1 exterior non-freeze hose bib, as per plan	✓	
2 exterior non-freeze hose bib, as per plan		✓
Tankless water heater		✓
Electric water heater (80 Gallon)	✓	
3 piece rough in plumbing in basement for future bath	✓	✓
Radon mitigation system	✓	✓
13. Heating		
High efficiency 2 stage variable forced air furnace.		✓
High efficiency single stage forced air furnace.	\checkmark	
Electronic Programmable Thermostat.	✓	✓
Heat recovery ventilation system.	✓	✓
PVC floor vents, and metal wall cold air return grills.	✓	✓
Supply and return air ducts located as required by code.	✓	✓
Locations for heating and ventilations systems may vary from plan.	✓	✓
14. Electrical		
100 amp power service.	√	√
Arc fault breakers as per code.	√	√
Dedicated plug and sensor wiring for overhead garage door opener, as per plan.	✓	√
2 exterior weather-proof duplex outlets on one 15-amp ground fault interrupter (GFI) circuit, located as per	/	,
plan.	√	
Switched soffit plug for Christmas lights.		v
Dedicated sump pump duplex plug	√	V
Bathroom plugs on ground fault interrupter (GFI) circuit.		v
Range and dryer outlet 220 volt service, as per plan.	√	√
Duplex receptacle for microwave, as per plan.	\checkmark	✓

Inspire



1 row of 6" tile backsplash in kitchen.

PACESETTER HOMES SERIES

PAGE 4 of 5 April 6, 2022 **FEATURES** 1 USB plug, location as per plan. Front door bell, and chime. 1 designated telephone line, and 2 paired coax TV/ Cat5E, as per plan. Audio/video conduit located above fireplace, as per plan. 5" mag lights as per plan White decora switches and outlets. Chrome lighting package with LED bulbs. Rough in conduit at electrical panel to attic for future solar panels. Locations for electrical service and outlets may vary from plan due to site conditions. 15. Interior Finishes Interior doors to have 3 chrome hinges. Interior hardware to be chrome. Passage door hardware with privacy locks on bathroom and master bedroom doors. Door type: textured finish, style as per selection Door type: smooth finish, style as per selection Bi-fold or hinge doors, size and swing as per plan French doors, as per plan, include rain glass insert Painted MDF on all stub walls, bookshelves, benches and decorative ledges, as per plan. Painted handrails with decorative metal supports in developed areas. Painted handrails with decorative wood supports in developed areas. Interior passage and closet doors: 2 ½" MDF paint grade casings, and 2 ½" MDF paint grade baseboards. Interior passage and closet doors: 3" MDF paint grade casings, and 4 1/4" MDF paint grade baseboards Decorative door headers above interior doors in common areas. White wire shelving throughout: 3 shelves in linen closets and pantry, single shelf in bedrooms, entry and laundry, as per plan. White wire shelving throughout: 4 shelves in linen closets and pantry, single shelf in bedrooms, entry and laundry, as per plan. Chrome Moen or equivalent bathroom accessories. Vanity mirrors to be 42" high and full length of vanity countertop. Oval mirror over pedestal sink, as per plan. 16. Cabinets & Countertops Kitchen cabinet and vanities to be Thermofoil with slab doors. Kitchen cabinet and vanities to be stained wood or Thermofoil, comes with veneer gable ends and back panels; large selection of door styles available. Cabinet uppers to be 30". 3/4" quartz countertops throughout. 17. Flooring and Wall Tile Carpet to be 100% Polyester. Comes with 8lb density underlay, locations as per plan. Carpet on all stair stringers in developed areas. U-Lay subfloor under all vinyl flooring, glued and stapled, locations as per plan Luxury vinyl plank throughout main floor, locations as per plan. Vinyl tile on upper floor bathrooms, ensuite, and laundry, as per plan. Ceramic floor tile in bathrooms, ensuite and laundry locations as per plan. 1/2" plywood subfloor under all ceramic tile flooring areas, glued and screwed, locations as per plan.



PAGE 5 of 5		April 6, 2022	
		gn	<u>e</u>
FEATURES		Design	Inspire
		_	
Full height kitchen backsplash. Main bathroom tub to have one 6" row of ceramic tile on sides and across the to	on of the surround	√	
Main bathroom tub to have one 6" row of ceramic tile on sides and across the to	•		√
Ensuite tub to have a 5'6" tile surround, as per plan.	ie top of the surround.		<u> </u>
Ensuite soaker tub to have tiled tub deck and 18" high surround, as per plan			<u>√</u>
Ensuite shower stall to have one row of 6" tile on sides and 12" across top, as per	er nlan		√
All visible ceramic tile edges to be finished with chrome metal trim.	or plan.	√	√
18. Appliances			
Stainless steel over-the-range microwave as per plan.		✓	
Stainless steel over-the-range microwave/chimney hood fan as per plan			
\$2,500.00 appliance gift certificate to the appliance supplier of the Builder's cho	ICE.	✓	V
19. Fireplace			
Direct vent gas fireplace includes remote control, as per plan.			✓
Paint grade mantel and columns painted to match woodwork, as per plan.			✓
Fireplace to have 1 row of 6" ceramic tile surround, as per plan.			\checkmark
20. Exterior Concrete			
Duramix concrete driveways and sidewalk to front door (front attached garage of	only), driveway to be full width of		
garage, as per standard plan (maximum 27' long).		\checkmark	\checkmark
Duramix concrete driveways and sidewalk to front door (rear attached garage of	nly), driveway to be full width of		
garage, as per standard plan (maximum 20' long).		✓	√
Pre-cast steps and landing as per plan.			√
Pre-cast steps as per plan.		✓	
If parking pad is applicable, it is to be a 20' x 20' concrete pad, includes apron to	o lane (maximum 10' long)		√
21. Grading			
Rough grading to be completed as per municipal requirements and plot plan (no	o topsoil).	✓	✓
Retaining walls, if required, are the Purchaser's responsibility.		✓	✓
Basement window wells as required.		\checkmark	\checkmark
21. General Information			
The Builder reserves the right to alter specifications or plans without notice or fin	nancial Compensation		
In the event materials listed within the specifications are no longer available, ma	•		
better quality will be substituted at the Builder's discretion.	·	\checkmark	\checkmark
All of our homes meet or exceed the Alberta Building Code and the Alberta Ene	rgy Code.	✓	✓
Upgrades to Specifications are as noted, and may not be available in all floor pla	ans.	✓	✓
The Purchaser(s) hereby acknowledge that they have read, understood an	nd agree to the alsowed terms of the composition of		t.
DocuSigned by: Mike Rudnisky 5C33D060FA2142C 1/5/2023	Buyer Signature Buyer Name: Moyosore Oluwaseye signed on: 12/23/2022 Tillula Faylumiyun AA3012B442534EA	Fagber	nigun
Authorized Signatory Pacesetter Homes (Edmonton) Signed on:	Buyer Signature Buyer Name: Tinuola Oluwayemsi F	agbem	igun

Buyer Name: Tinuola Oluwayemsi Fagbemigun signed on: 12/23/2022

