PACESETTER HOMES (EDMONTON)

OPTIONS AND UPGRADES AGREEMENT

Lot No.:	31136 Swing:	Add.	No/Date:	<u>17/[18]</u> <u>24-O</u>	ct-2023 C/O Typ	e: INI
Address:	25 Enns Court, 75/18/222-2161	Purc	haser:	Jamie Tallmann	1	
	FORT SASKATCHEWAN, ALBERTA	Phon	e Business:		Home: 78029	923301
Subdivision:	SOUTHPOINTE - RSL		ract Date:	Eahmana 00 20		20001
Model/Elev:	COLUMBIA - Columbia			February 08, 20	023	
Reference:	INSULATION INSPECTION - APPLIANCE	CES SELEC Targe	et Closing:	To Be Determin	ned	
	In Contract: Cash: Finan	nce: X				
Co-Buyers:	DANNY RUPERT					
			Qty	U. of M.	Unit Price	Tota
APPOINT UPGRADI CLIEN	M-SUPLRUPG - UPGRADES FROM SUPPL MENT. PLEASE SEE NOTES FOR DETAIL E NTS ONLY USED \$6,018 OF \$7,500 APPLIA OMER UPGRADE: NO, COMPANY: TRAII	S OF THE NCE		EACH an 02, 2024 - N 0	\$1.00 D DRAFTING	\$-1,482.00
FOR ANY OR CRED INCORRE	D-INFO - SALES TO ENTER NOTES **NOT THING OTHER THAN INFO, NO MONEY ITED HERE, OPTION WILL BE REJECTED CCTLY** LAPPLIANCES APPOINTMENT COMPLET	CAN BE ADDED O IF USED	1.00 NH	EACH Jan 02, 2024 - N	O DRAFTING	\$0.00
- AD - EN - EN	2 / 2024 DJUSTED TRAIL APPLIANCE PO. MAILED TRAIL. CC'D SITE SUPE (ANDY). MAILED A COPY OF THE ADDENDUM SITE SUPE.		- Total Ad	Sub Tot LCO Fo Incentiv Discoun Taxes Idendum No 17/[18	ees ves ats	-\$1,482.00 \$0.00 \$0.00 \$0.00 -\$74.10
DocuSign OAE8FC0		12/21/2023				
Jamie Tallr		Date				
JEAEFFD.)277BE43A	12/21/2023				
DANNY I		Date	PACE	ESETTER HOMES	S (EDMONTON)	Date

Contract, changes and color selections are subject to management approval and are dependent on the stage of construction at the time of removal of all conditions. Contracts and changes to contracts (Options & Upgrades Agreements) must be signed by an authorized signatory of the builder to be valid. Sales employees are not authorized to sign on behalf of the builder.

Job # 31136

REVISION DATE: AUGUST 18, 2023
BASED ON TRAILBLAZER SPECIFICATIONS

MAIN KIT APPLIANCE	CHEN REQUIREMENTS	CHARGE LOCATED ON ADDENDUM #	REVIEWED BY SALES	REVIEWED BY DRAFTING	REVIEWED BY ESTIMATING
FRIDGE	PLW-W/LFRDG (CHARGE APPLIES)	12	V		
NOTE:					
NOTES:					
RANGE FUEL TYPE FREESTANDING &	ELECTRIC - STANDARD]	1 🗔		
SLIDE IN	STANDARD COCKTON NOT ADDIVIOADLE	J [
COOKTOP	COOKTOP NOT APPLICABLE] [
BUILT IN OVEN NOTES :	BUILT IN OVEN NOT APPLICABLE		V		
MICROWAVE OTR	OVER THE RANGE (OTR)				
BUILT IN	STANDARD ELA-DUP15APP BUILT IN MICROWAVE NOT APPLICABLE	<u> </u>		\mathbb{H}	
NOTES	BOILT IN WICKOWAYE NOT AFFEIGABLE		<u> </u>		
HOODFAN VENT	OVER THE RANGE (OTR)]			
HOODFAN VENT	HOODFAN VENT NOT APPLICABLE	i \square	v		
NOTES					
DISHWASHER	STANDARD (HARDWIRE)	1			
NOTES		<u> </u>	V		
ADDITIONAL APPLI	ANCES OTHER: SEE NOTES	7			
	SELECT APPLICABLE	」 ┐ ┌────			
BAR FRIDGE	SELECT APPLICABLE	NA NA	V		
WATER SOFTENER	SELECT APPLICABLE		V	H	片
REVERSE OSMOSIS	SELECT APPLICABLE		V		
WASHER	SELECT APPLICABLE] [\ \ \ \		
DRYER	SELECT APPLICABLE NOT APPLICABLE		V		
NOTES					
	CHEN & BUTLER PANTRY	' APPLIANCES	SPICE KITCHE	N NOT APPLICABLE	
	CHEN & BUTLER PANTRY REQUIREMENTS	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT				REVIEWED BY F	
SPICE KIT	REQUIREMENTS	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE	REQUIREMENTS	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES:	REQUIREMENTS	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE	REQUIREMENTS SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES:	REQUIREMENTS SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING &	REQUIREMENTS SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN	REQUIREMENTS SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP	SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES: MICROWAVE	REQUIREMENTS SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES:	REQUIREMENTS SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES: MICROWAVE	REQUIREMENTS SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES: MICROWAVE OTR	SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES: MICROWAVE OTR BUILT IN	SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES: MICROWAVE OTR BUILT IN NOTES HOODFAN VENT	SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES: MICROWAVE OTR BUILT IN NOTES HOODFAN VENT HOODFAN VENT NOTES	REQUIREMENTS SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES: MICROWAVE OTR BUILT IN NOTES HOODFAN VENT	REQUIREMENTS SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES: MICROWAVE OTR BUILT IN NOTES HOODFAN VENT HOODFAN VENT NOTES	REQUIREMENTS SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES: MICROWAVE OTR BUILT IN NOTES HOODFAN VENT HOODFAN VENT NOTES ADDITIONAL APPLIA	REQUIREMENTS SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES: MICROWAVE OTR BUILT IN NOTES HOODFAN VENT HOODFAN VENT NOTES ADDITIONAL APPLIA GARBURATOR	REQUIREMENTS SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY
SPICE KIT APPLIANCE FRIDGE NOTES: RANGE FREESTANDING & SLIDE IN COOKTOP BUILT IN OVEN NOTES: MICROWAVE OTR BUILT IN NOTES HOODFAN VENT HOODFAN VENT NOTES ADDITIONAL APPLIA GARBURATOR BAR FRIDGE	REQUIREMENTS SELECT APPLICABLE SELECT APPLICABLE	CHARGE LOCATED	REVIEWED BY F	REVIEWED BY F	REVIEWED BY

LEGAL SU	ITE APPLIANCES				LEGAL SU	JITE NOT APPLICAE	BLE
APPLIANCE	REQUIREMENTS		CHARGE LOCATED	ı	REVIEWED	REVIEWED	REVIEWED BY
FRIDGE			ON ADDENDUM #	ı	BY SALES	BY DRAFTING	ESTIMATING
	SELECT APPLICABLE						
NOTES:							
RANGE	SELECT APPLICABLE						
FREESTANDING &	SELECT APPLICABLE						
SLIDE IN	SELECT APPLICABLE				$\overline{\Box}$		
СООКТОР	SELECT AFFEIGABLE						
BUILT IN OVEN	SELECT APPLICABLE						
NOTES:							
MICROWAVE	SELECT APPLICABLE						
OTR	SELECT APPLICABLE						
BUILT IN	SELECT APPLICABLE						
NOTES							
HOODFAN VENT	SELECT APPLICABLE						
HOODFAN VENT	SELECT APPLICABLE						
NOTES						· · · · · · · · · · · · · · · · · · ·	
ADDITIONAL APPLIA	NCES						
GARBURATOR	SELECT APPLICABLE				Ш		
BAR FRIDGE	SELECT APPLICABLE						
WATER SOFTENER	SELECT APPLICABLE						
REVERSE OSMOSIS	SELECT APPLICABLE	_					
WASHER	SELECT APPLICABLE				Ħ	H	
DRYER	SELECT APPLICABLE		_			H	
NOTES							

Purchaser(s) acknowledge the above information to be accurate and that no changes or additions to appliances will be permitted.

DocuSigned by:

OAE8FC093534454...

DocuSigned by:

3EAEFFD277BE43A...

Purchaser Signature

DocuSigned by:
C9CFA8981C884F0...

Area Sales Manager Signature



Appliance Specifications Cover Sheet

Date: MARCH 4/23	JOB#	31136	TRAIL	. CONTACT:	KEVIN	Trail Applia
Builder: PACESE	TTER		Attn:	JUSTIN		Appliančeš and
Customer Name(s):	JAMIE TAL	LMAN A	ND DANN	RUPERT	•	
New Address:	25	ENNIS (COURT			
CLIENT HAS REQUESTED TI	HE FOLLOWING	G CHANGES	5:			
Fridge Type: Side By Side	- French	Door 🕢	Bottom F	reezer 📄	Top Freezer	
OTH						
*Please note fridge placeme Waterline required for fridg Waterline to be installed by	e?		ntry or wall	refer to attac Yes Yes	ched fridge speci	fications
Range Type: Freestanding Fuel Type:	ng√- Slide Electric		unter behind	d range req	uired - Yes	□ No □
Gas Line required for range?			<u> </u>	Yes	- No	
Microwave purchased? Microwave Type: OTR ✓-	Yes Yes		Suilt-In w/Ti	*CFM:	300 Trim size: 27"∏- 30"∏ otl	her
Washer/Dryer purchased?	Yes√- No			*Specif	ications attache	d
Installation Type: Nor	ne∏ - Reg	ular 🗸 -	Stacked	- Pedes	tals	
Vent purchased? Yes	√ No				standard as pe	er plan
*CFM:_300						_
Type: Under Cabine	t 🗌 - Chim	ney Style	Inse	t∏- Do	wndraft - OTI	₹ micro.
Hood width -	30	<u>′</u> ∏- 36″∏¢	OTHER			
Built-In Wall Oven and Cook *Specifications attached	top purchased	?		Yes	- No ✓	
Food disposer purchased ?	yes - no x	Rec	eptacle requir	ed for dishwa	sher? yes -	no 🗶
Reverse Osmosis purchased' 1 inch diameter hole is required in cou]		W	ater softener purchase Lines requiring a l Outside hose	oy-pass:
Central Vacuum system puro	chased? Yes	- No√			Kitchen sink (c None -	old)- 🔲

^{*}If reverse osmosis system purchased, please rough in 1/2" lines from mechanical room to kitchen sink & fridge Special Notes/Comments:



V (694 E DocuSign Envelope ID: DE2ADDC7-BD64-46BD-A97B-BE68BE4F42D5

Calgary South 6880 - 11 Street S.E. Calgary, AB T2H 2T9 Sales: (403)253-5442 Fax: (403)253-6397 Branch #10

Calgary Crowfoot 650 Crowfoot Cres. N.W. Calgary, AB T3G 4S3 Sales: (403)930-6270 Fax: (403)930-6271 Branch #18

Calgary Sunridge 2745 - 29 Street N.E. Calgary, AB T1Y 7B5 Sales: (403)250-2818 Fax: (403)250-2895 Branch #15

Edmonton South 9880 - 47 Avenue Edmonton, AB T6E 5P3 Sales: (780)434-9414 Fax: (780)437-0194 Branch #20

Edmonton North 12404 - 149 Street Edmonton, AB T5V 1G9 Sales: (780)452-8888 Fax: (780)452-9092 Branch #25

Customer #:

Order #: Order Date:

Red Deer 557 Lantern Street Red Deer, AB T4E 0A5 Sales: (403)342-0900 Fax: (403)342-7168 Branch #30

5068366

01/03/23

ENA0051051

Saskatoon 3150 Idylwyld Drive N. Saskatoon, Sk S7L 5Y6 Sales: (306)986-0200 Fax: (306)986-0201 Branch #40

ENA0051051

5068366

Branch #: 25 SLS: **KAP**

PACESETTER HOMES 3203 93 STREET NW

EDMONTON, AB

T6N 0B2

P.O. Number:

JAMIE TALLMANN & DANNY RUPERT

Terms: **NET 30 DAYS**

Print Date/Time:

01/03/23

11:02

MST

JAMIE TALLMANN & DANNY RUPERT 25 ENNS COURT

FORT SASKATCHEWAN, AB

(780) 483-2653

NO ALT#

Ship Via:

Approximate Date

JOB # 31136

Delivery Date: 01/12/23 fahammed

QUANTITY MODEL# DESCRIPTION WAREHOUSE **AMOUNT** ORDERED IN STOCK BO 0 1 **IE20** 398.00 0ALL AMOUNT BILLED TO BUILDER **IE20** 6438.00 0ALL AMOUNT BILLED TO BUILDER

ABOVE AMOUNT IS SUBJECT TO BUILDER APPROVAL OFFSETTING S/O ENA0051050 P.O.

THANK YOU FOR THE ORDER-KEVIN PRINSEN





confirm the order described above, and that I have considered and agree with the terms and conditions of sale outlined on the reverse of this form. I confirm the COLOUR as described and the doorswing to be correct.

All damage must be reported within 24 hrs. of delivery or pickup. All appliances are subject to a min. 20% restocking fee.

Left Hand





Right Hand

DOOR SWING

Extended Warranty Coverage

ORDER RECEIVED IN FULL AND IN GOOD CONDITION

CUSTOMER SIGNATURE

The Delivery date is: Approximate Confirmed

CUSTOMER SIGNATURE

PAYMENTS REC'D

SUBTOTAL:

P.S.T.:

G.S.T.:

TOTAL:

GST Registration #

R 737254128

THANK YOU!

BALANCE DUE

E & OE

6836.00

0.00

341.80

7177.80

'RINT FULL NAME

DATE

PRINT FULL NAME

DATE

Docusign Envelope ID: DE2ADDC7-BD64-46BD-A97B-BE68BE4F42D5 IFAII Appliances and more!

INVOICE

Calgary South 6880 - 11 Street S.E. Calgary, AB T2H 2T9 Sales: (403)253-5442 Fax: (403)253-6397 Branch #10

Calgary Crowfoot 650 Crowfoot Cres. N.W. Calgary, AB T3G 4S3 Sales: (403)930-6270 Fax: (403)930-6271 Branch #18 Calgary Sunridge 2745 - 29 Street N.E. Calgary, AB T1Y 7B5 Sales: (403)250-2818 Fax: (403)250-2895 Branch #15 Edmonton South 9880 - 47 Avenue Edmonton, AB T6E 5P3 Sales: (780)434-9414 Fax: (780)437-0194 Branch #20 Edmonton North 12404 - 149 Street Edmonton, AB T5V 1G9 Sales: (780)452-8888 Fax: (780)452-9092 Branch #25

Customer #:

Order Date:

Order #:

Red Deer 557 Lantern Street Red Deer, AB T4E 0A5 Sales: (403)342-0900 Fax: (403)342-7168 Branch #30

0513069

01/03/23

ENA0051050

Saskatoon 3150 Idylwyld Drive N. Saskatoon, Sk S7L 5Y6 Sales: (306)986-0200 Fax: (306)986-0201 Branch #40

ENA0051050

0513069

Branch #: 25 SLS: KAP

JAMIE TALLMANN & DANNY RUPERT 10 Calvert Wynd

FORT SASKATCHEWAN, AB

T8L 0C3

P.O. Number: PA

Print Date/Time:

PACESETTER HOMES

Terms: P.I.A.

01/03/23

10:54

MST

JAMIE TALLMANN & DANNY RUPERT 25 ENNS COURT

23 LINING COURT

FORT SASKATCHEWAN, AB

(780) 292-3301

1 780-243-8494

Ship Via:

Approximate Date

JOB # 31136

Delivery Date: 01/12/23

fahammed

QUANTITY MODEL# **DESCRIPTION** WAREHOUSE **AMOUNT** ORDERED IN STOCK ВО 0 1 **IE20** 1699.00 1 RF20A5101SR SAMSUNG, FRIDGE, FRENCH, SS 0 1 **IE20** 0.00 **ODECLINE** DECLINE WATERLINE HOOKUP 1 0 1 **IE20** 1199.00 NE63A6711SS SAMSUNG, RANGE, CONVECTION, SS 1 0 1 **IE20** 319.00 ME17R7011ES SAMSUNG, M/W, OTR, SS (DS ONLY) 1 0 1 **IE20** 99,00 **OMW** MICROWAVE INSTALL 0 1 **IE20** 899.00 1 WDTA50SAKZ WHIRLPOOL, DISHWASHER, FPR SS*** 0 1 **IE20** 199.00 **OHOOKUP DW INSTALL DISHWASHER** 0 1 **IE20** 1149.00 WF45B6300AP SAMSUNG, WASHER, F/L, 5.2 CU.FT, GREY

DocuSign Envelope ID: DE2ADDC7-BD64-46BD-A97B-BE68BE4F42D5 IFAII Appliances and more!

INVOICE

Calgary South 6880 - 11 Street S.E. Calgary, AB T2H 2T9 Sales: (403)253-5442 Fax: (403)253-6397 Branch #10 Calgary Crowfoot 650 Crowfoot Cres. N.W. Calgary, AB T3G 4S3 Sales: (403)930-6270 Fax: (403)930-6271 Branch #18 Calgary Sunridge 2745 - 29 Street N.E. Calgary, AB T1Y 7B5 Sales: (403)250-2818 Fax: (403)250-2895 Branch #15 Edmonton South 9880 - 47 Avenue Edmonton, AB T6E 5P3 Sales: (780)434-9414 Fax: (780)437-0194 Branch #20 Edmonton North 12404 - 149 Street Edmonton, AB T5V 1G9 Sales: (780)452-8888 Fax: (780)452-9092 Branch #25 Red Deer 557 Lantern Street Red Deer, AB T4E 0A5 Sales: (403)342-0900 Fax: (403)342-7168 Branch #30 Saskatoon 3150 Idylwyld Drive N. Saskatoon, Sk S7L 5Y6 Sales: (306)986-0200 Fax: (306)986-0201 Branch #40

Branch #: 25 SLS: KAP

10 Calvert Wynd

Customer #: 0513069 Order #: ENA0051

ENA0051050

Order Date: 01/03/23

JAMIE TALLMANN & DANNY RUPERT 25 ENNS COURT *ENA0051050*

0513069

FORT SASKATCHEWAN, AB

T8L 0C3

FORT SASKATCHEWAN, AB

(780) 292-3301

780-243-8494

Ship Via: Approximate Date

JOB # 31136

Terms: P.I.A.

P.O. Number:

Print Date/Time:

P.I.A. 01/03/23

PACESETTER HOMES

JAMIE TALLMANN & DANNY RUPERT

10:54

MST

Delivery Date: 01/12/23

fahammed

MODEL#	DESCRIPTION		QUANTITY IN STOCK	ВО	WAREHOUSE	AMOUNT
DVE45B6305P	SAMSUNG, DRYER, ELEC, STEAM, 7.5 CU.FT, GRE	Y 1	0	1	IE20	1049.00
WPHOSE	RUBBER FILL HOSE (BUILDER ONLY)	1	0	1	IE20	15.00
BASIC LAUNDRY	BASIC LAUNDRY HOOKUP	1	0	1	IE20	60.00
DECLINE	Comerco Protection Plan Addt'l Warranty Protection Presented & Declined	1	0	1	IE20	0.00
DELIVERY	DELIVERY CHARGES	1	0	1	IE20	149.00
0ALL	AMOUNT BILLED TO BUILDER - OTR	-1	0	-1	IE20 -	398.00-
0ALL	AMOUNT BILLED TO BUILDER	-1	0	-1	IE20	6438.00-
ABOVE AMO	OUNT IS SUBJECT TO BUILDER APPROVAL					

ABOVE AMOUNT IS SUBJECT TO BUILDER APPROVAL

OFFSETTING S/O______ P.O. _____

Variable 1 DocuSign Envelope ID: DE2ADDC7-BD64-46BD-A97B-BE68BE4F42D5

Calgary South 6880 - 11 Street S.E. Calgary, AB T2H 2T9 Sales: (403)253-5442 Fax: (403)253-6397 Branch #10

Calgary Crowfoot 650 Crowfoot Cres. N.W. Calgary, AB T3G 4S3 Sales: (403)930-6270 Fax: (403)930-6271 Branch #18

Calgary Sunridge 2745 - 29 Street N.E. Calgary, AB T1Y 7B5 Sales: (403)250-2818 Fax: (403)250-2895 Branch #15

Edmonton South 9880 - 47 Avenue Edmonton, AB T6E 5P3 Sales: (780)434-9414 Fax: (780)437-0194 Branch #20

Edmonton North 12404 - 149 Street Edmonton, AB T5V 1G9 Sales: (780)452-8888 Fax: (780)452-9092 Branch #25

Customer #:

Order Date:

Order #:

Red Deer 557 Lantern Street Red Deer, AB T4E 0A5 Sales: (403)342-0900 Fax: (403)342-7168 Branch #30

0513069

01/03/23

ENA0051050

Saskatoon 3150 Idylwyld Drive N. Saskatoon, Sk S7L 5Y6 Sales: (306)986-0200 Fax: (306)986-0201 Branch #40

0513069

Branch #: 25 KAP SLS:

10 Calvert Wynd

JAMIE TALLMANN & DANNY RUPERT

JAMIE TALLMANN & DANNY RUPERT 25 ENNS COURT

ENA0051050*

FORT SASKATCHEWAN, AB

T8L 0C3

PACESETTER HOMES

Terms: P.I.A. Print Date/Time:

P.O. Number:

01/03/23

10:54

MST

FORT SASKATCHEWAN, AB

(780) 292-3301

780-243-8494

Ship Via:

Approximate Date

JOB # 31136

Delivery Date: 01/12/23 fahammed

MODEL#

DESCRIPTION

QUANTITY ORDERED IN STOCK

WAREHOUSE BO

SUBTOTAL:

P.S.T.:

G.S.T.:

TOTAL:

GST Registration #

AMOUNT

0.00

0.00

0.00

0.00

THANK YOU FOR THE ORDER-KEVIN PRINSEN

confirm the order described above, and that I have considered and agree with the terms and conditions of sale outlined on the everse of this form. I confirm the COLOUR as described and the doorswing to be correct.

All damage must be reported within 24 hrs. of delivery or pickup. All appliances are subject to a min. 20% restocking fee.

Left Hand

PRINT FULL NAME



DATE

Right Hand

DOOR SWING

Extended Warranty Coverage

ORDER RECEIVED IN FULL AND IN GOOD CONDITION

CUSTOMER SIGNATURE

DATE

RINT FULL NAME

The Delivery date is: Approximate Confirmed

CUSTOMER SIGNATURE

BALANCE DUE

THANK YOU!

R 737254128

PAYMENTS REC'D

E & OE

Trail Appliances Ltd. is committed to protecting your privacy in accordance with Federal (PIPEDA) and Alberta (PIPA) Acts. Acceptance of this invoice confirms that all "Personal Information" collected by Trail Appliances will be maintained in strict security and confidence, and will only be used for servicing the account by Trail Appliances and affiliates of Trail. By releasing your email address you agree to

19.5 cu. ft. Smart 3-Door French Door Refrigerator



Signature Features

Modern Design

Built-in look for a seamless fit. The smooth and streamlined exterior design features beautiful flat doors and easy to open recessed handles that blend seamlessly into your cabinetry, adding function and style to your kitchen.

Wi-Fi Enabled

Use the SmartThings App¹ on your smartphone to control the temperature and monitor your refrigerator remotely.

¹Available on Android and iOS devices. A Wi-Fi connection and a Samsung account are required.

ENERGY STAR® Certified

Eco-friendly and energy-efficient.2

²Visit www.energystar.gov for more information on ENERGY STAR[®] guidelines.

Fingerprint Resistant Finish

A finish that withstands everyday smudges, so you spend less time cleaning.

Available Colors



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



Fingerprint Resistant White



Fingerprint Resistant Black



Modern Design



Fingerprint Resistant Finish

Design

- Built-in Look
- Recessed Handle
- Flat Door Design
- Fingerprint Resistant Finish
- LED Lighting
- Gallon Door Bins
- 2 Crispers
- Under-Shelf Deli Drawer

Technology

- Wi-Fi Fnabled
- Door Alarm

Performance

- Twin Cooling Plus®
- Power Cool & Freeze
- Ice Maker Stores up to 5.5 lbs of ice
- Sabbath Mode

Rating



ENERGY STAR® rated: 560 kWh/yr



KFZUA5IUISK

SAMSUNG


19.5 cu. ft. Smart 3-Door French Door Refrigerator

Installation Specifications


- Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
- 2. Refer to illustration below to determine dimensions.
- 3. Allow 3¾" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- 4. Allow 2" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
- Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and ability to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product or download manual online at samsung.com.



Dimensions



Total Capacity: 19.5 cu. ft.

Refrigerator: 12.9 cu. ft.

- 3 Tempered Glass Spill-Proof Shelves
- 2 Crispers
- Under-Shelf Deli Drawer
- 6 Door Bins
 - Right Door: 1 Gallon Bin, 2 Regular Bins
 - Left Door: 1 Gallon Bin, 2 Regular Bins
- LED Lighting

Freezer: 6.6 cu. ft.

- Automatic Ice Maker
- EZ-Open Handle™
- LED Lighting

Warranty

One (1) Year Parts and Labor on Refrigerator Five (5) Years Parts and Labor on Sealed Refrigeration System Only*

Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

*Compressor, evaporator, condenser, drier and connecting tubing.

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles and doors): $32^{1}/8$ " x 70" x $30^{1}/8$ "

Dimensions (WxHxD without hinges and door):

 $32^{1}/_{8}$ " x $68^{7}/_{8}$ " x $26^{1}/_{2}$ "

Weight: 216 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: $34^{5}/_{8}$ " x 75" x $32^{1}/_{2}$ "

Weight: 234 lbs

Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	RF20A5101SR	887276455167
Fingerprint Resistant Black Stainless Steel	RF20A5101SG	887276465470
Fingerprint Resistant White	RF20A5101WW	887276465494
Fingerprint Resistant Black	RF20A5101B1	887276465463

Samsung Smart Freestanding Electric Range with No Pre-heat Air Fry, Convection+ & Griddle

6.3 cu. ft. Capacity



Signature Features

Air Fry

• A healthier way to prepare your favorite fried foods right in your oven with little to no oil.* No preheating required. Air Fry tray included.

'As compared to deep frying.

Removable Non-Stick Griddle

• Grill your family's favorite foods with the included griddle that is perfectly sized to fit the griddle burners.

Convection+

Powerful Convection+ saves you time by cooking food fast and more evenly.

Available Colors



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



Fingerprint Resistant Tuscan Stainless Steel



Air Fry



Removable Non-Stick Griddle

Features

- Stainless Steel Design
- Air Fry, Tray Included
- Removable Non-Stick Griddle
- Convection+
- Large Oven Capacity 6.3 cu. ft.
- Extra Oven Settings Bread Proof,
 Dehydrate, Favorite Cook, Keep Warm
- Storage Drawer

- Flexible Cooktop:
 Five Burner Cooktop
- One Triple Burner (6"/9"/12")
- Two Bridge Burners
- One Single Burner (6")
- Warming Center

Convenience

- Wi-Fi Connectivity
- Voice-Enabled
- SmartThings Cooking
- Convection Auto Conversion
- Self & Steam Clean
- Hidden Bake Element
- Sabbath Mode
- Child Safety Lock
- Delay Start
- Auto Oven Light
- Kitchen Timer










Samsung Smart Freestanding Electric Range with No Pre-heat Air Fry, Convection+ & Griddle

6.3 cu. ft. Capacity


Installation Specifications



A: Cabinet opening min 30"

B: Acceptable electrical outlet area

IMPORTANT: If your cabinets are over 363/4" high, you must install this range on a hard, heat-resistant support that raises the surface of the range so that it is about even with the countertop.



- A: 30" minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/4" of flame retardant millboard covered with not less than no.28 MSG sheet steel, 0.015" stainless steel, 0.024" aluminum, or 0.020" copper.
- B: 15" minimum between the countertop and the adjacent cabinet bottom.

IMPORTANT: Consult with Installation Manual for detailed instructions before installing. All ranges must be installed with the Anti-Tip device that is included.

Power Source

240V/208V/60 Hz/40A

Electric Ceramic Cooktop

- Right Front: 6"/9"/12" Triple Ring Burner, 3000 W
- Left Front: Griddle Burner, 1800 W
- Right Rear: 6", 1200 W
- Left Rear: Griddle Burner, 1800 W
- Center: Warming Center, 100 W

Oven

- Capacity: 6.3 cu. ft.
- Convection Element/Heater
- Convection Bake
- Convection Roast
- Bake
- Variable Broil: Low/High
- Air Fry
- Bread Proof
- Dehydrate

Warranty

One (1) Year Parts and Labor

Product Dimensions & Weight (WxHxD)

Oven Interior Dimensions: $24^{13}/_{16}$ " x $22^{7}/_{16}$ " x $19^{3}/_{4}$ "

Outside Net Dimensions:

29¹⁵/₁₆" x 46⁵/₁₆-47¹/₁₆" (Adjustable) x 28¹¹/₁₆"

Weight: 164 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions:

33¹/₁₆" x 50⁹/₁₆" x 30⁵/₁₆"

Weight: 187 lbs

Color	Model #	UPC Code
Fingerprint Resistar Stainless Steel		887276509488
Fingerprint Resistar Black Stainless Ste		887276509464
Fingerprint Resistar		887276509501



1.7 cu. ft. Over-the-Range Microwave



Signature Features

1.7 cu. ft. Capacity

Accommodates a variety of snacks and meals. Enough room to accommodate everyday meals.

2-Speed/300 CFM Ventilation System

Powerful ventilation system that eliminates steam, fumes, and odour from the kitchen. Quiet system clears the air with 300 cubic feet per minute of turbo ventilation.

LED Display

Striking ice blue LED display provides a stylish accent to enhance any kitchen interior. Time and setting are clearly visible for greater cooking convenience.

Available Colours



Stainless Steel



White



2-Speed/300 CFM Ventilation System



LED Display

Features


- 1.7 cu. ft. Oven Capacity
- 2-Speed/300 CFM Ventilation
- System LED Display
- Cooking Presets
- Eco Mode

Convenience


• Vent Fan Control: On/Off

1.7 cu. ft. Over-the-Range Microwave

Dimensions



Installation Specifications



Specifications:

Power Output: 1000 W

Power Consumption: 1500 W/13A Power Source: 120v/60 Hz

Plug Type: 3 prong plug Power Cord Length: 39 3/8"

Control Method: Digital (membrane touch)

Display: LED

Cooking Control: 10 power levels including defrost Cooking Timer: Digital, up to 99 minutes, 99 seconds

Microwave Distribution System: Turntable

Vent Fan: 300 CFM Vent Fan Control: On/Off

Warranty

One (1) Year Parts and Labour Five (5) Years Parts on Magnetron

Product Dimensions & Weight (WxHxD)

Dimensions: 29 ⁷/8" x 17 ¹/₁₆" x 16 ¹/₂"

Dimensions (without filter): $29^{7/8}$ ° x $15^{5/8}$ ° x $16^{1/2}$ °

Weight: 48.3 lbs (22 Kg)

Shipping Dimensions & Weight (WxHxD)

Dimensions: $33^{11}/32'' \times 20^{25}/32'' \times 19^{3}/8''$

Weight: 55.1 lbs (25 Kg)

White

Colour Model #

Stainless Steel ME17R7011ES

887276528588 887276528595

UPC Code

ME17R7021EW

This microwave oven is designed for adaptation to the following three types of ventilation:

- A. Outside Top Exhaust (Vertical Duct)
- B. Recirculating (Non-Vented Ductless)
- C. Outside Back Exhaust (Horizontal Duct)
- The space between the cabinets must be 30" wide and free of obstructions.
- This microwave oven is for installation over ranges up to 36" wide.
- The microwave must be level. Use a level to make sure the cabinet bottom is level. If the cabinets have a front overhang only, with no back or side frame, install the mounting plate down the same distance as the front overhang depth. This will keep the microwave level.

FOR EASIER INSTALLATION AND PERSONAL SAFETY, WE RECOMMEND THAT TWO PEOPLE INSTALL THIS MICROWAVE OVEN.

IMPORTANT: Do not grip or use handle during installation.

NOTE: If your the power cord hole to prevent cutting of the cord.

NOTE: We recommend using filler blocks if the cabinet front below the cabinet bottom shelf.


IMPORTANT: If filler blocks are not used, case damage may occur from overtightening screws. NOTE: When mounting the microwave oven, thread power cord through hole in bottom of top cabinet. Do not pinch cord or lift oven by pulling cord.



24" Dishwasher DETAILED PLANNING DIMENSIONS GUIDE

Applies to all model numbers starting with; WDT740SAL, WDT750SAK, WDT970SAK, WDTA50SAK, WDTA80SAK, WDPA70SAM

PRODUCT DIMENSIONS



*Dishwasher can be raised 17/16" (3.7 cm) with feet fully extended...

Samsung Smart Front Load Washer with Super Speed 5.2 cu. ft. Capacity



Signature Features

SuperSpeed

Uses advanced cleaning technologies to wash a full load of laundry in just 30 minutes¹, without sacrificing cleaning performance.

SmartThings Enabled

Wi-Fi connected so you can remotely start or stop your cycle, schedule laundry on your time, receive end of cycle alerts, and more right from your smartphone.²

Steam

Powerful stain removal without pretreatment, while still gentle on your clothing.


Available Colours




Platinum (shown)



Champagne



SuperSpeed



Steam

Features

- SmartThings Enabled
- Super Speed
- Steam
- VRT Plus™ Technology
- Swirl+ Drum Design
- Self Clean+
- Closet-Depth Fit³
- Stackability
- Internal Water Heater
- 1200 RPM Maximum Spin Speed
- Direct Drive Motor
- 12 Preset Washing Cycles

- 9 Additional Washing Options
- 5 Temperature Levels
- Tempered Glass Door
- LED Display: Ice Blue
- 24-Hour Delay End

Convenience

- Child Lock
- Door Lock
- Dispenser Trays: Main Wash, Softener, Bleach

Rating



- ENERGY STAR® Rated
- CEE Tier 3
- IMEF = 3.1
- IWF = 2.9



#1 Highest in Customer Satisfaction with Top-Load Clothes Washers in the U.S., 3 Years in a Row.⁴

¹ Based on using SuperSpeed on a normal cycle with an 8lb load.

² The Samsung SmartThings application is required and is available on Android and iOS devices. A Wi-Fi connection is required. User will be solely responsible for any consequence(s) that may result, including but not limited to any damage or harm caused by incorrect information provided by the user.

³ Designed to fit a 40" installation depth.


⁴ For J.D. Power 2020 award information, visit jdpower.com/awards

VF43B05UUAP

SAMSUNG

Samsung Smart Front Load Washer with Super Speed 5.2 cu. ft. Capacity

Dimensions




Installation Specifications

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72 in² (see stacked build below). Your washer alone does not require a specific air opening.


* Required spacing (External exhaust elbow may require additional space.)

1. Alcove or closet installation

MINIMUM CLEARANCES FOR CLOSET AND ALCOVE INSTALLATIONS:



2. With stacked washer and dryer



5.2 cu. ft. Capacity

12 Preset Washing Cycles:

Normal, Heavy Duty, Bedding, Quick Wash, Delicates, Towels, Eco Cold, Rinse/Spin, Self Clean+, Steam Sanitize, Steam Normal, Steam White, Downloaded

11 Downloadable Cycles:

Permanent Press, ActiveWare, Wool, Eco Cold, Colours, Outdoor, Denim, Steam Allergen, Power Steam, Steam Bulky, Power Rinse

9 Additional Washing Options:

Presoak, Steam, Delay End, Smart Control, Super Speed, Alarm Off, Child Lock, Smart Care, Spin Only

5 Temperature Levels:

Hot, Warmer, Warm, Cool, Cold

5 Spin Speeds:

High, Medium High, Medium, Low, No Spin

5 Soil Levels:

Heavy, Medium Heavy, Normal, Medium Low, Light

Dispenser Trays:

Main Wash, Softener, Bleach

Warranty

One (1) Year Parts and Labour Ten (10) Years Direct Drive Motor (Part Only)

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 38 3/4" x 31 3/8" Weight: 201 lbs. (91.2 kg)


Shipping Dimensions & Weight (WxHxD)

Dimensions: 29 3/8" x 42 3/8" x 34 1/8"

Weight: 205 lbs. (93 kg)

Electric Washer Platinum Champagne	Model # WF45B6300AP WF45B6300AC	UPC 887276627410 887276627403
Matching Electric Dryer Platinum Champagne	Model # DVE45B6305P DVE45B6305AC	UPC 887276652153 887276652146
Gas Dryer Platinum	Model # DVG45B6305P	UPC 887276652146
Matching Pedestal Platinum Champagne	Model # WE402NP WE402NC	UPC 887276310145 887276310121
Accessories Stacking Kit	SKK-8K	887276344034

Samsung Smart Front Load Electric Dryer with Steam Sanitize+7.5 cu. ft. Capacity DOE



Signature Features

SmartThings Enabled

Wi-Fi connected so you can remotely start or stop your cycle, schedule laundry on your time, receive end of cycle alerts, and more right from your smartphone.¹

Steam Sanitize+

The Steam Sanitize+ cycle removes 99.9% of germs and bacteria, over 95% of pollen, and kills 100% of dust mites². Multi-Steam Technology steams away wrinkles, odors, and static.

Sensor Dry

Automatically optimizes the time and temperature of your drying cycle to protect your clothes from heat damage, while avoiding excess energy use.


Available Colours



Platinum (shown)



Champagne



SmartThings Enabled



Steam Sanitize+

Features

- SmartThings Enabled
- Steam Sanitize+
- · Sensor Dry
- Vent Sensor
- Interior Drum Light
- 12 Preset Drying Cycles
- 10 Additional Drying Options
- 5 Temperature Levels
- 4-Way Venting (3-Way for Gas)
- Dual Heaters
- Reversible Tempered Glass Door
- LED Display: Ice Blue
- ¹ Samsung Smart Washer/Dryer app is available at the App Store, Please check app for compatibility with your smartphone before downloading,
- ² Based on internal testing and independently verified by Intertek, Individual results may vary.

Convenience

- Child Lock
- Filter Check Indicator

Rating



- ENERGY STAR® Rated
- Energy Consumption (annual) = 608 kWh/yr




#1 Highest in Customer Satisfaction with Clothes Dryers in the U.S., 3 Years in a Row,³

³ For J.D. Power 2020 award information, visit jdpower.com/awards

Samsung Smart Front Load Electric Dryer with Steam Sanitize+7.5 cu. ft. Capacity DOE

Dimensions




Installation Specifications

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72 in² (see stacked build below). Your washer alone does not require a specific air opening.


* Required spacing (External exhaust elbow may require additional space.)

1. Alcove or closet installation

MINIMUM CLEARANCES FOR CLOSET AND ALCOVE INSTALLATIONS:



2. With stacked washer and dryer



7.5 cu. ft. Capacity

- 4-Way Venting (Electric)
- 3-Way Venting (Gas)

12 Preset Drying Cycles:

Refresh, Steam Sanitize+, Normal, Heavy Duty, Permanent Press, Active Wear, Bedding, Delicates, Time Dry, Air Fluff, Quick Dry, Downloaded

9 Additional Downloaded Cycles:

Wrinkle Away, Eco Normal, Towels, Wool, Sanitize, Shirts, Denim, Low Temperature, Rack Dry

10 Additional Drying Options:

Damp Alert, Wrinkle Prevent, Smart Control, Adjust Time (Up), Adjust Time (Down), Eco Dry, Drum Light, Child Lock, Smart Care, Alarm Off

5 Temperature Levels:

High, Medium High, Medium, Medium Low, Low

5 Dry Levels:

More Dry, Normal-More Dry, Normal Dry, Normal-Less Dry, Less Dry

Warranty

One (1) Year Parts and Labour

Product Dimensions & Weight (WxHxD)

Dimensions: $27'' \times 38^{3}/4'' \times 31^{1}/2''$ Weight: 123 lbs (55.8 kg)

Shipping Dimensions & Weight (WxHxD)

Dimensions: 29 3/8" x 42 9/16" x 33 1/2"

Weight: 130 lbs (59 kg)

Electric Dryer	Model #	UPC
Platinum	DVE45B6305P	887276652153
Champagne	DVE45B6305AC	887276652146
Matching Washer	Model #	UPC
Platinum	WF45B6300AP	887276627410
Champagne	WF45B6300AC	887276627403
Gas Dryer Platinum	Model # DVG45B6305P	UPC 887276652146
Matching Pedestal	Model #	UPC
Platinum	WE402NP	887276310145
Champagne	WE402NC	887276310121
Accessories Stacking Kit	SKK-8K	887276344034



12404 - 149 Street Edmonton, AB T5V1G9 (780)452-8888 Customer #: 5068366
Order #: ENA0051051
Order Date: Mar. 01/23

SLS: KEVIN PRINSEN

Terms: NET 30 DAYS

Page 1 of 1

Reprinted by ohurst 08/12/23 15:00 Created by: Imcdonald

Calgary • Edmonton • Red Deer • Saskatoon

BILL TO:

PACESETTER HOMES 3203 93 STREET NW EDMONTON, AB T6N 0B2 SHIP TO:

JAMIE TALLMANN & DANNY RUPERT 25 ENNS COURT

FORT SASKATCHEWAN, AB T8L0Z4

(780) 483-2653

MODEL#	DESCRIPTION	QUANTITY ORDERED	WAREHOUSE	AMOUNT
0ALL	AMOUNT BILLED TO BUILDER	1	IE20	1873.00
0ALL	AMOUNT BILLED TO BUILDER	1	IE20	1348.00
0ALL	AMOUNT BILLED TO BUILDER	1	IE20	998.00
0ALL	AMOUNT BILLED TO BUILDER	1	IE20	398.00
0ALL	AMOUNT BILLED TO BUILDER	1	IE20	1799.00

ABOVE AMOUNT IS SUBJECT TO BUILDER APPROVAL OFFSETTING S/O ENA0051050, ENA0053866, ENA0056009, ENA0056825 P.O.

THANK YOU FOR THE ORDER-KEVIN PRINSEN



I confirm the order described above, and that I have considered and agree with the terms and conditions of sale outlined on the reverse of this form.

PRINT FULL NAME

 SUBTOTAL:
 6416.00

 P.S.T.:
 0.00

 G.S.T.:
 320.80

 TOTAL:
 6736.80

 GST Registration #
 R 737254128